


Torro

Apple
7796



Chrome
6775 *m



Ebony
0016



Electric
8133



Haze
7382



Hide
7385



Horizon
7387



Ivory
6876



Jaffa
7386



Jonquil
7800



Latte
5800



Malachite
7384



Mercury
6790




Merlot
5805




Metallic
6259*m



Midnight
5990



Ochre
6787



Oxide
6774*m




Palma
7799




Paradise
7388



Polar
0001



Praline
6780



Pumpkin
7801



Silver
6875




Sorbet
7389



Tan
6786




Topaz
8134



Truffle
6873



Valentino
7390



Vanilla
6874



Application:

Upholstery Fabric

Composition:

54.2% Polyurethane, 26.3% Polyester 19.5% Cotton

Width:

140cm ± 2%

Weight:

440gms/m²

Abrasion:

BS EN ISO 5470-2:2003 Method 1 60,000 Rubs

Flame Retardancy:

BS 7176:2007 Low Hazard

FMVSS 302 Motor Vehicle Safety

BS EN 1021-1:2006 (Cigarette)

BS EN 1021-2:2006 (Match)

Note: Flammability performance is dependant on foam used

Light Fastness:

BS EN ISO 105 - B02:1999 - 5+

Fastness to Rubbing Wet & Dry:

BS EN ISO 105 - X12:2002 - 5 5 Lengthway, 5 Widthway (Wet & Dry)

Tensile Strength:

BS EN ISO 13934-1:1999 Lengthway 710N, Widthway 450N

Tear Resistance:

BS EN ISO 13937-2:2000 Torn across length 80N, Torn across width 48N

Sea Water Fastness:

BS EN ISO 105 - EO2:1996 - 5

Colour Matching:

Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting

Product Development:

We reserve the right to change the specification of our product in line with our product development programme without notice

Fabric Care and Maintenance:

Use a damp clean cloth with a solution of mild soap and lukewarm water. See our fabric care guide

Technical Assistance:

Our technical staff will be pleased to offer advice on F.R. and other matters

Availability:

Generally ex-stock

Guarantee:

Fabric guaranteed for 3 years under normal wear and tear, see our terms and conditions