



Blenheim Check


Aphid
752



Britannia
743




Cadillac
753




Eggplant
741




Houston
742



Shadow
738



Tuscan
739



Application:

Hard wearing upholstery fabric, particularly suited for soft seating in heavy use areas such as schools, universities, offices and contract environments

Composition:

90% Wool, 10% Nylon

Width:

140 cm +2% usable

Weight:

520 gms/m² (730 gms/linear m)

Abrasion:

BS EN ISO 5470 -2 : 2003 Method 1 170,000 Rubs

Flame Retardancy:

BS 7176 : 2007 Low Hazard

BS EN 1021 - 1 : 2006 (Cigarette)

BS EN 1021 - 2 : 2006 (Match)

Note: Flammability performance is dependent on foam used

Additional Zirpro treatment required, please specify when ordering

BS 7176 : 2007 Medium Hazard

BS 5852 : Section 4 Ignition Source 5

Teflon Treated:

Superior stain resistance and water repellancy with inherent Teflon treatment

Light Fastness:

BS EN ISO 105 - BO2 : Method 3 to Standard - 4

Fastness to Rubbing Wet & Dry:

BS EN ISO 105 - X12 : 2002 - 4

Colour Matching:

Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting

Product Development:

We reserve the right to change the specification of our products in line with our product development programme without notice

Fabric Care and Maintenance:

Vacuum regularly, professionally dry clean or wipe clean with a damp cloth

Availability:

Generally ex-stock

Technical Assistance:

Our technical staff will be pleased to offer advice on F.R and other technical matters

Guarantee:

Fabric guaranteed for 5 years under normal wear and tear. See our Terms and Conditions

* Please note that for each of these Blenheim Check shades there is a corresponding colour available in the plain Blenheim range.

Other colours can be produced, subject to minimum production, please contact sales office for details.