

# Torro Plus

Ebony  
0016



Haze  
7382



Hide  
7385



Horizon  
7387



Ivory  
6876



Jaffa  
7386



Latte  
5800



Malachite  
7384



Mercury  
6790




Merlot  
5805



Metallic  
6259\*m



Midnight  
5990



Ochre  
6787



Oxide  
6774\*<sup>m</sup>



Paradise  
7388



Praline  
6780



Sorbet  
7389



Tan  
6786



Truffle  
6873



Valentino  
7390



Vanilla  
6874



**Application:**

Upholstery fabric suitable for soft and restaurant style seating

**Composition:**

54.2% Polyurethane, 26.3% Polyester, 19.5% Cotton

**Width:**

137 cms + 2% usable

**Weight:**

560 gms/m<sup>2</sup> (includes FR back coating)

**Abrasion:**

BS EN ISO 5470 - 2 : 2003 Method 1 &gt; 100,000 Rubs

**Flexing:**

Method B – Schildknecht method of ISO 7854:1997 &gt; 700,000 Cycles

**Flame Retardancy:**

BS EN 1021 – 1: 2006 (Cigarette)

BS EN 1021 – 2: 2006 (Match)

BS 7176: 2007 Low Hazard

BS 7176: 2007 Medium Hazard

BS 5852: Section 4 Ignition Source 5

Note: FR back coating applied to achieve FR levels

Note: Flammability performance is dependent on foam used.

**Tensile Strength:**

BS EN ISO 13934-1 : 1999

Lengthway 640N, Widthway 470N

**Tear Resistance:**

BS EN ISO 13927-2 : 2000

Torn across length 46N, Torn across width 47N

**Light Fastness:**

BS EN ISO 105 – BO2 : Method 3 to Standard – 5

**Sea Water Fastness:**

BS EN ISO 105 – E02: 1996 - 5

**Fastness to Rubbing Wet & Dry:**

BS EN ISO 105 – X12 : 2002 – 5

**Colour Matching:**

Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting.

**Availability:**

Generally ex stock

**Product Development:**

We reserve the right to change the specification of our products in line with our product development program without notice.

**Fabric Care and Maintenance:**

Remove any spillages or stains with a damp cloth. Please refer to our cleaning and maintenance guide for additional details.

**Technical Assistance:**

Our Technical staff will be pleased to offer advice on F.R. and all other technical matters.